



# Lipids and Lipid Metabolism

Vol. 1390, 1998

## Author Index



- Aoyama, C., Nakashima, K., Matsui, M. and Ishidate, K.  
Complementary DNA sequence for a 42 kDa rat kidney  
choline/ethanolamine kinase (1390) 1
- Aponte, G.W., see Holehouse, E.L. (1390) 52
- Arita, H., see Ramanadham, S. (1390) 301
- Arthur, G. and Bittman, R.  
The inhibition of cell signaling pathways by antitumor ether lipids  
(1390) 85
- Avella, M., see Bravo, E. (1390) 134
- Badiani, K., see Ridgway, N.D. (1390) 37
- Baker, R.R. and Chang, H.-y.  
Substrate specificities of neuronal nuclear acetyltransferases involved  
in the synthesis of platelet-activating factor: Differences in the use of  
1-alkyl and 1-acyl lysophospholipid acceptors (1390) 215
- Barreto Bergter, E., see Duarte, R.S. (1390) 186
- Barron, L.G., see Zelphati, O. (1390) 119
- Battaile, K.P., McBurney, M., Van Veldhoven, P.P. and Vockley, J.  
Human long chain, very long chain and medium chain acyl-CoA  
dehydrogenases are specific for the S-enantiomer of 2- methylpen-  
tadecanoyl-CoA (1390) 333
- Berger, A., Cultaro, C.M., Segal, S. and Spiegel, S.  
The potent lipid mitogen sphingosylphosphocholine activates the DNA  
binding activity of upstream stimulating factor (USF), a basic helix-  
loop-helix-zipper protein (1390) 225
- Bittman, R., see Arthur, G. (1390) 85
- Botham, K.M., see Bravo, E. (1390) 134
- Bravo, E., Flora, L., Cantafora, A., De Luca, V., Tripodi, M., Avella, M.  
and Botham, K.M.  
The influence of dietary saturated and unsaturated fat on hepatic  
cholesterol metabolism and the biliary excretion of chylomicron  
cholesterol in the rat (1390) 134
- Bretillon, L., Chardigny, J.-M., Sébédio, J.-L., Poullain, D., Noël, J.-P.  
and Vatel, J.-M.  
Oxidative metabolism of [ $^{14}$ C] mono-*trans* isomers of linoleic and  
 $\alpha$ -linolenic acids in the rat (1390) 207
- Buckland, A.G., Kinkaid, A.R. and Wilton, D.C.  
Cardiolipin hydrolysis by human phospholipases A<sub>2</sub>. The multiple  
enzymatic activities of human cytosolic phospholipase A<sub>2</sub> (1390) 65
- Byers, D.M., see Cook, H.W. (1390) 103
- Byers, D.M., see Ridgway, N.D. (1390) 37
- Cantafora, A., see Bravo, E. (1390) 134
- Chang, H.-y., see Baker, R.R. (1390) 215
- Chapman, K.D., see McAndrew, R.S. (1390) 21
- Chardigny, J.-M., see Bretillon, L. (1390) 207
- Chuang, M. and Severson, D.L.  
Metabolic fate of exogenous diacylglycerols in A10 smooth muscle  
cells (1390) 149
- Cook, H.W., Ridgway, N.D. and Byers, D.M.  
Involvement of phospholipase D and protein kinase C in phorbol ester  
and fatty acid stimulated turnover of phosphatidylcholine and phos-  
phatidylethanolamine in neural cells (1390) 103
- Cook, H.W., see Ridgway, N.D. (1390) 37
- Cultaro, C.M., see Berger, A. (1390) 225
- De Luca, V., see Bravo, E. (1390) 134
- Drevon, C.A., see Rustan, A.C. (1390) 245
- Duarte, R.S., Polycarpo, C.R., Wait, R., Hartmann, R. and  
Barreto Bergter, E.  
Structural characterization of neutral glycosphingolipids from *Fusar-*  
*ium* species (1390) 186
- Eguchi, T., see Morii, H. (1390) 339
- Flora, L., see Bravo, E. (1390) 134
- Frank, P.G., see Sparks, D.L. (1390) 160
- Gilat, T., see Ringel, Y. (1390) 293
- Hartmann, R., see Duarte, R.S. (1390) 186
- Holehouse, E.L., Liu, M.-L. and Aponte, G.W.  
Oleic acid distribution in small intestinal epithelial cells expressing  
intestinal-fatty acid binding protein (1390) 52
- Hori, H., see Tsubaki, M. (1390) 197
- Hornstra, G., see Nieuwenhuys, C.M.A. (1390) 313
- Hustvedt, B.-E., see Rustan, A.C. (1390) 245
- Ichikawa, Y., see Tsubaki, M. (1390) 197
- Ikeyoshi, M., see Matsui, K. (1390) 8
- Ishidate, K., see Aoyama, C. (1390) 1
- Jolly, C.A., Murphy, E.J. and Schroeder, F.  
Differential influence of rat liver fatty acid binding protein isoforms  
on phospholipid fatty acid composition: phosphatidic acid biosynthe-  
sis and phospholipid fatty acid remodeling (1390) 258
- Jones, P.J.H., see Ntanos, F.Y. (1390) 237
- Kajiwara, T., see Matsui, K. (1390) 8
- Kakinuma, K., see Morii, H. (1390) 339
- Kaler, E.W., see Luk, A.S. (1390) 282
- Kinkaid, A.R., Othman, R., Voysey, J. and Wilton, D.C.  
Phospholipase D and phosphatidic acid enhance the hydrolysis of  
phospholipids in vesicles and in cell membranes by human secreted  
phospholipase A<sub>2</sub> (1390) 173
- Kinkaid, A.R., see Buckland, A.G. (1390) 65
- Kitazawa, S., see Tsutsumi, T. (1390) 73
- Koga, Y., see Morii, H. (1390) 339
- König, H., see Morii, H. (1390) 339
- Konikoff, F.M., see Ringel, Y. (1390) 293
- Lee, S.P., see Luk, A.S. (1390) 282
- Liu, M.-L., see Holehouse, E.L. (1390) 52

- Los, D.A., see Panpoom, S. (1390) 323
- Luk, A.S., Kaler, E.W. and Lee, S.P.  
Protein lipid interaction in bile: effects of biliary proteins on the stability of cholesterol-lecithin vesicles (1390) 282
- Ma, Z., see Ramanadham, S. (1390) 301
- Matsui, K., Nishioka, M., Ikeyoshi, M., Matsumura, Y., Mori, T. and Kajiwar, T.  
Cucumber root lipoxygenase can act on acyl groups in phosphatidylcholine (1390) 8
- Matsui, M., see Aoyama, C. (1390) 1
- Matsumoto, N., see Tsubaki, M. (1390) 197
- Matsumura, Y., see Matsui, K. (1390) 8
- McAndrew, R.S. and Chapman, K.D.  
Enzymology of cottonseed microsomal *N*-acylphosphatidylethanolamine synthase: Kinetic properties and mechanism-based inactivation (1390) 21
- McBurney, M., see Battaile, K.P. (1390) 333
- Mori, T., see Matsui, K. (1390) 8
- Morii, H., Eguchi, T., Nishihara, M., Kakinuma, K., König, H. and Koga, Y.  
A novel ether core lipid with H-shaped C<sub>80</sub>-isoprenoid hydrocarbon chain from the hyperthermophilic methanogen *Methanothermobacter ferredoxinus* (1390) 339
- Murata, N., see Panpoom, S. (1390) 323
- Murphy, E.J., see Jolly, C.A. (1390) 258
- Nakashima, K., see Aoyama, C. (1390) 1
- Neville, T.A.-M., see Sparks, D.L. (1390) 160
- Nieuwenhuys, C.M.A. and Hornstra, G.  
The effects of purified eicosapentaenoic and docosahexaenoic acids on arterial thrombosis tendency and platelet function in rats (1390) 313
- Nishihara, M., see Morii, H. (1390) 339
- Nishioka, M., see Matsui, K. (1390) 8
- Noël, J.-P., see Bretillon, L. (1390) 207
- Norlin, M. and Wikvall, K.  
Biochemical characterization of the 7 $\alpha$ -hydroxylase activities towards 27-hydroxycholesterol and dehydroepiandrosterone in pig liver microsomes (1390) 269
- Ntanios, F.Y. and Jones, P.J.H.  
Effects of variable dietary sitostanol concentrations on plasma lipid profile and phytosterol metabolism in hamsters (1390) 237
- Othman, R., see Kinkaid, A.R. (1390) 173
- Panpoom, S., Los, D.A. and Murata, N.  
Biochemical characterization of a  $\Delta 12$  acyl-lipid desaturase after overexpression of the enzyme in *Escherichia coli* (1390) 323
- Polycarpo, C.R., see Duarte, R.S. (1390) 186
- Poullain, D., see Bretillon, L. (1390) 207
- Ramanadham, S., Ma, Z., Arita, H., Zhang, S. and Turk, J.  
Type IB secretory phospholipase A<sub>2</sub> is contained in insulin secretory granules of pancreatic islet  $\beta$ -cells and is co-secreted with insulin from glucose-stimulated islets (1390) 301
- Ridgway, N.D., Badiani, K., Byers, D.M. and Cook, H.W.  
Inhibition of phosphorylation of the oxysterol binding protein by brefeldin A (1390) 37
- Ridgway, N.D., see Cook, H.W. (1390) 103
- Ringel, Y., Sömjén, G.J., Konikoff, F.M., Rosenberg, R. and Gilat, T.  
Increased saturation of the fatty acids in the *sn*-2 position of phospholipids reduces cholesterol crystallization in model bile (1390) 293
- Rosenberg, R., see Ringel, Y. (1390) 293
- Rustan, A.C., Hustvedt, B.-E. and Drevon, C.A.  
Postprandial decrease in plasma unesterified fatty acids during *n* - 3 fatty acid feeding is not caused by accumulation of fatty acids in adipose tissue (1390) 245
- Schroeder, F., see Jolly, C.A. (1390) 258
- Sébédo, J.-L., see Bretillon, L. (1390) 207
- Segal, S., see Berger, A. (1390) 225
- Severson, D.L., see Chuang, M. (1390) 149
- Sömjén, G.J., see Ringel, Y. (1390) 293
- Sparks, D.L., Frank, P.G. and Neville, T.A.-M.  
Effect of the surface lipid composition of reconstituted LPA-I on apolipoprotein A-I structure and lecithin:cholesterol acyltransferase activity (1390) 160
- Spiegel, S., see Berger, A. (1390) 225
- Szoka Jr., F.C., see Zelphati, O. (1390) 119
- Tokumura, A., see Tsutsumi, T. (1390) 73
- Tomita, S., see Tsubaki, M. (1390) 197
- Tripathi, M., see Bravo, E. (1390) 134
- Tsubaki, M., Matsumoto, N., Tomita, S., Ichikawa, Y. and Hori, H.  
20 $\beta$ -hydroxy-C21-steroid 20 $\beta$ -oxidase activity of cytochrome P450<sub>c21</sub> purified from bovine adrenocortical microsomes (1390) 197
- Tsutsumi, T., Tokumura, A. and Kitazawa, S.  
Undifferentiated HL-60 cells internalize an antitumor alkyl ether phospholipid more rapidly than resistant K562 cells (1390) 73
- Turk, J., see Ramanadham, S. (1390) 301
- Uyechi, L.S., see Zelphati, O. (1390) 119
- Van Veldhoven, P.P., see Battaile, K.P. (1390) 333
- Vatèle, J.-M., see Bretillon, L. (1390) 207
- Vockley, J., see Battaile, K.P. (1390) 333
- Voysey, J., see Kinkaid, A.R. (1390) 173
- Wait, R., see Duarte, R.S. (1390) 186
- Wikvall, K., see Norlin, M. (1390) 269
- Wilton, D.C., see Buckland, A.G. (1390) 65
- Wilton, D.C., see Kinkaid, A.R. (1390) 173
- Zelphati, O., Uyechi, L.S., Barron, L.G. and Szoka Jr., F.C.  
Effect of serum components on the physico-chemical properties of cationic lipid/oligonucleotide complexes and on their interactions with cells (1390) 119
- Zhang, S., see Ramanadham, S. (1390) 301

